


Alpha
OFFICE
CHAIRS



OUR STORY

1963. Carving out a historical landmark in the annals of Sri Lanka, Alpha Industries (Pvt) Ltd pioneered the manufacturing of country's first ever Security Equipment and Light Metal Office Furniture products in 1963. Alpha is also engaged in manufacturing and marketing of a comprehensive range of wood-based products, and undertakes up-market as well as standard interior fit outs. Alpha has 2 fully equipped state-of-the-art factory complexes and widespread showroom network along with island-wide distribution and service network. Alpha is a member of the Finco group. Finco Group is active in diverse fields including Furniture, IT Solutions and Leisure.





ARM: Height adjustable arm with soft PU pad

BIFMA standard aluminum base R:350mm



- STD Black
- Pre White
- Pre Brown

GP-106H

Specifications



- BACKREST: High density foam with full PU for the front and rear of the back.
- ARM: Height adjustable with soft PU pad.
- SEAT: High density foam with full PU upholstery.
- MECHANISM: Multi-function mechanism with five lock position.
- GASLIFT: BIFMA standard high quality gaslift.
- BASE: BIFMA standard aluminum base R:350mm
- CASTORS: BIFMA standard castors.



GP-106VA

Specifications

- BACKREST: High density foam with full PU for the front and rear of the back.
- SEAT: High density foam with full PU upholstery.
- FRAME: Chrome frame, 2.0mm thickness.

| | | |
|-----|---|-------|
| STD |  | Black |
| Pre |  | White |
| Pre |  | Brown |

GP-106L

Specifications

- BACKREST: High density foam with full PU for the front and rear of the back.
- ARM: Height adjustable with soft PU pad.
- SEAT: High density foam with full PU upholstery.
- MECHANISM: Multi-function mechanism with five lock position.
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard aluminum base, R:350mm
- CASTORS: BIFMA standard castors.





GP-123H

Specifications

- BACKREST : High density foam with full PU for the front and rear of the back.
- ARM : Aluminum fixed armrest, with the soft PU arm pads
- SEAT : High density foam with full PU upholstery.
- MECHANISM: Synchronized mechanism can lock in any position.
- GASLIFT : High quality gas lift.
- BASE : Aluminum base, R:350mm
- CASTORS : Nylon castors, diam:60mm

GP-123VA

Specifications

- FRAME : chrome frame, 2.0mm thickness.





GP-123L

Specifications

- High density foam with full PU for the front and rear of the back.
- Aluminum fixed armrest, with the soft PU arm pads.
- High density foam with full PU upholstery.
- Synchronized mechanism can lock in any position.
- High quality gas lift.
- Aluminum base, R:350mm
- Nylon castors, diam:60mm
- Chrome frame,2.0mm thickness.

- Black
- White
- Brown
- Dark Blue



GP-124H

Specifications

- BACKREST : plywood and high density cutting foam upholstery with full PU.
- SEAT : plywood and molded foam upholstery with full PU.
- ARMREST : Aluminum fixed armrest, with the soft PU arm pad.
- MECHANISM : synchronized mechanism can lock in any position
- GASLIFT : BIFMA Standard, CLASS 3
- BASE : Aluminum base, R:350mm
- CASTORS : BIFMA Standard nylon castor, Diam:60mm








- Black
- White
- Brown
- Dark Blue



GP-124VA

Specifications

- BACKREST: High density foam with full PU for the front and rear of the back.
- SEAT: High density foam with full PU upholstery.
- FRAME: Chrome frame, 2.0mm thickness.

| | |
|---|-------------|
|  | Black |
|  | White |
|  | Brown |
|  | Light Brown |
|  | Dark Blue |
|  | Grey |
|  | Beige |

GP-124L

Specifications


- BACKREST: High density foam with full PU for the front and rear of the back.
- ARM: Height adjustable with soft PU pad.
- SEAT: High density foam with full PU upholstery.
- MECHANISM: Multi-function mechanism with five lock position.
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard aluminum base, R:350mm
- CASTORS: BIFMA standard castors.



GP-105H

Specifications

- BACKREST: High density foam with full PU for the front and rear of the back.
- ARM: Chromed armpole, PU padded arm
- SEAT: High density foam with full PU upholstery.
- MECHANISM: Multi-function mechanism with five lock position.
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard chromed base, R: 350mm
- CASTORS: BIFMA standard castors.

| | | |
|-----|---|-------|
| STD |  | Black |
| Pre |  | White |
| Pre |  | Brown |






GP-105VAB

Specifications

- BACKREST: High density foam with full PU for the front and rear of the back.
- ARM: Chromed armpole, PU padded arm.
- SEAT: High density foam with full PU upholstery.
- FRAME: Chrome frame, 2.0mm thickness.

| | | |
|-----|---|-------|
| STD |  | Black |
| Pre |  | White |
| Pre |  | Brown |

GP-105L

Specifications

- BACKREST: High density foam with full PU for the front and rear of the back.
- ARM: Chromed armpole, PU padded arm.
- SEAT: High density foam with full PU upholstery.
- MECHANISM: Multi-function mechanism with five lock position.
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard chromed base, R:350mm
- CASTORS: BIFMA standard castors.



GP-113H

Specifications

- BACKREST: High density foam with full PU for the front and rear of the back.
- ARM: Nylon armpole, PU padded arm.
- SEAT: High density foam with full PU upholstery.
- MECHANISM: Simple mechanism with one lock position.
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard nylon base, R:350mm
- CASTORS: BIFMA standard castors.



STD  Black





GP-113V

Specifications

- BACKREST: High density foam with full PU for the front and rear of the back.
- ARM: Nylon armpole, PU padded arm.
- SEAT: High density foam with full PU upholstery.
- FRAME: Black powder coating frame, 2.0mm thickness.

GP-113L

Specifications

- BACKREST: High density foam with full PU for the front and rear of the back.
- ARM: Nylon armpole, PU padded arm.
- SEAT: High density foam with full PU upholstery.
- MECHANISM: Simple mechanism with one lock position.
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard nylon base, R:320mm
- CASTORS: BIFMA standard castors.



GP 168 L



GP 168 H



- BACKREST & ARMREST: plywood and molded foam upholstery with PU leather, with wood veneer cover
- SEAT : plywood and high density cutting foam upholstery with PU leather.
- MECHANISM : with tilting and lock function, and with the seat height adjustment.
- GASLIFT : BIFMA Standard, CLASS 3
- BASE : Aluminium base, R:350mm
- CASTORS : nylon castor, Diam:55mm





Fern

Specifications

- Mesh back
- Fabric upholstered seat
- Fluidic 4D arms
- Cradle system with Infinity Edge
- Patented Wave Suspension back rest
- Seat glide
- Tilt tension adjustment
- Multiple backstop positions
- Forward tilt
- Pneumatic seat height adjustment
- Nylon base with Hardcasotors



MB0BL ZG-60999
Black

Mesh Finish Options



Troof
Black

Back frame /Arm cap/Back
upright finish Options

Zody

Specifications

- Mesh back & Fabric upholstered seat
- 4D arms
- PAL lumbar system
- Asymmetric lumbar support
- Seat glide with Forward tilt
- Tilt tension adjustment
- Multiple backstop positions
- Pneumatic seat height adjustment
- Nylon Base with castors
- BIFMA & Greenguard Gold certified product
- 12-years 24/7 warranty





Very


Specifications

- Mesh back & Fabric upholstered seat
- 4D arms
- Height Adjustable lumbar
- Seat glide with Forward tilt
- Tilt tension adjustment
- Multiple backstop positions
- Pneumatic seat height adjustment
- Nylon Base with castors
- BIFMA & Greenguard Gold certified product
- 12-years 24/7 warranty

Aloha Easy

Specifications

- Mesh back
- Fabric upholstered seat
- Height adjustable arms
- Height adjustable lumbar support
- Seat glide
- Synchro tilt mechanism
- Tilt tension adjustment
- Upright backstop
- Pneumatic seat height adjustment
- Nylon Base with Hard Castors
- Executive range with adjustable headrest



Mesh Finish Options



TRoof
Black

Back frame /Arm cap/Back
upright finish Options



GP-316H

Specifications

- HEADREST : Molded foam covered by elastic fabric, height can be adjusted
- BACKREST : White nylon frame upholstery with high quality imported Korean mesh with height adjustable lumbar support
- SEAT : White nylon frame upholstery with high quality imported Korean mesh, the seat depth can be adjusted.
- ARMREST : White adjustable armrest, the PU arm pad can be moved front & back, left & right (3D)
- MECHANISM : Synchronized mechanism with five lock positions
- GASLIFT : BIFMA Standard, CLASS 3
- BASE : Aluminum base, R: 350mm
- CASTORS : BIFMA Standard nylon castor, Diam: 60mm





GP-316VA

Specifications

- BACKREST: White nylon frame upholstery with high quality imported Korean mesh with height adjustable lumbar support
- SEAT: White nylon frame upholstery with high quality imported Korean mesh, the seat depth can be adjusted.



GP-316L

Specifications

- BACKREST : White nylon frame upholstery with high quality imported Korean mesh with height adjustable lumbar support
- SEAT : White nylon frame upholstery with high quality imported Korean mesh, the seat depth can be adjusted.
- ARMREST : White adjustable armrest, the PU arm pad can be moved front & back, left & right (3D)
- MECHANISM : Synchronized mechanism with five lock positions
- GASLIFT : BIFMA Standard, CLASS 3
- BASE : Aluminum base, R: 350mm
- CASTORS : BIFMA Standard nylon castor, Diam: 60mm





- STD  Blue
- Pre  Green
- Pre  Red
- STD  Black
- Pre  Orange

GP-301H

Specifications

- HEADREST: Height adjustable, can be 180 degrees rotated.
- BACKREST: Black nylon cover upholstery with high quality elastic mesh with height adjust lumbar support.
- ARM: Height adjustable arm
- SEAT : Mould foam (PU foam) with fabric upholstery.
- MECHANISM: Pre-assembled mechanism with unique-designed superior plastic cover under seat, lockable tilting functions
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard nylon base, R:320mm.
- CASTORS: BIFMA standard castors.





GP-301V

- STD  Blue
- Pre  Green
- Pre  Red
- STD  Black
- Pre  Orange



GP-301L

Specifications

- BACKREST: Black nylon cover upholstery with high quality elastic mesh and height adjustable lumbar support.
- ARM: Height adjustable arm with soft PU pad.
- SEAT: Mould foam (PU foam) with fabric upholstery.
- MECHANISM: Multi-function mechanism, four lock position, and unique-designed superior plastic cover under seat with sliding function.
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard nylon base, R:350mm.
- CASTORS: BIFMA standard castors.



GP-532

Specifications






- BACKREST: Nylon cover upholstery with high quality elastic mesh
- ARM: Nylon armrest.
- SEAT: High density foam with black elastic mesh fabric.
- MECHANISM: Pre-assembled mechanism with lockable tilting functions
- GASLIFT: BIFMA standard high quality gaslift.
- BASE: BIFMA standard nylon base R:325mm.
- CASTORS: BIFMA standard castors.



GP-534



GP-533
(Pre Oder)






-  Blue
-  Green
-  Red
-  Black
-  Orange

Specifications

- BACKREST: Nylon cover upholstery with high quality elastic mesh
- ARM: Nylon armrest.
- SEAT: High density foam with black elastic mesh fabric.
- MECHANISM: Pre-assembled mechanism with lockable tilting functions
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard nylon base R:320mm
- CASTORS: BIFMA standard castors.




GP-535
(Pre Oder)

-  Blue
-  Green
-  Red
-  Black
-  Orange

GP-601H

Specifications

- **HEADREST** : Black nylon framework upholstery with imitated cashmere.
- **BACKREST** : Black nylon framework upholstery with imitated cashmere fabric, with height adjust lumbar support.
- **SEAT** : Moulded foam covered by the plastic cover and the imitated cashmere fabric.
- **ARMREST** : Adjustable armrest, the PU arm pad can be moved front & back, left & right (3D).
- **MECHANISM** : Synchronized mechanism with four lock positions(single handle control height adjustment and locking or tilting)
- **GASLIFT** : BIFMA Standard, CLASS 3 BASE : Nylon base, R:340mm
- **CASTORS** : BIFMA Standard nylon castor, Diam:60mm



ARM: Adjustable arm with PU arm pad


BIFMA Standard
CLASS 3 BASE : Nylon base, R:340mm



GP-601VA

Specifications

- BACKREST : Black nylon framework upholstery with imitated cashmere fabric, with height adjust lumbar support
- SEAT : Moulded foam covered by the plastic cover and the imitated cashmere fabric.
- ARMREST : Adjustable armrest, the PU arm pad can be moved front & back, left & right (3D).



GP-601L

Specifications

- BACKREST : Black nylon framework upholstery with imitated cashmere fabric, with height adjust lumbar support.
- SEAT : Moulded foam covered by the plastic cover and the imitated cashmere fabric.
- ARMREST : Adjustable armrest, the PU arm pad can be moved front & back, left & right (3D).
- MECHANISM : Synchronized mechanism with four lock positions(single handle control height adjustment and locking or tilting)
- GASLIFT : BIFMA Standard, CLASS 3 BASE : Nylon base, R:340mm
- CASTORS : BIFMA Standard nylon castor, Diam:60mm




GP-202H

Specifications

- BACKREST: High density foam with tapestry fabric for the front and rear of the back
- ARM: High quality PP armrest.
- SEAT: High density foam with tapestry fabric upholstery.
- MECHANISM: Simple mechanism with one lock position.
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard nylon base, R:350mm
- CASTORS: BIFMA standard castors.

 Blue

 Black






GP-202L

Specifications

- BACKREST: High density foam with tapestry fabric for the front and rear of the back.
- ARM: High quality PP armrest.
- SEAT: High density foam with tapestry fabric upholstery.
- MECHANISM: Simple mechanism with one lock position.
- GASLIFT: BIFMA standard, high quality gaslift.
- BASE: BIFMA standard nylon base, R:320mm
- CASTORS: BIFMA standard castors.

 Blue

 Black



GP-202VA

Specifications

- BACKREST: High density foam with tapestry fabric for the front and rear of the back.
- ARM: High quality PP armrest.
- SEAT: High density foam with tapestry fabric upholstery.
- FRAME: Black powder coating frame, 2.0mm thickness.

GP-527

Specifications


- BACKREST: Black plastic cover
- ARM: Black nylon armrest.
- SEAT: High density foam with black elastic mesh fabric
- MECHANISM: Pre-assembled mechanism with lockable tilting functions
- GASLIFT: BIFMA standard,high quality gaslift.
- BASE: BIFMA standard nylon base,R:325mm.
- CASTORS: BIFMA standard castors.



Computer Chair CR-131

- Specifications
- With arm
 - Fabric
 - Nylon base
 - 5 Castors
 - Height adjustable only
- Dimensions : W420 x D560 x H830-930

 Blue


 Black



Clerical Chair - 403

- Specifications
- With arm
 - Fabric
 - Nylon base
 - 5 Castors
 - Height adjustable only
- Dimensions : W420 x D560 x H830-930

 Blue

 Black




Visitor Chair - CF306

Specifications

- With arm
- Fabric
- Cantilever base

- Dimensions : W530 x D560 x H870

 Blue

 Black




Visitor Chair - CF304HT

Specifications

- With arm
- Fabric
- Steel legs (square)

- Dimensions W550 x D570 x H800

 Blue

 Black




Visitor Chair - CF304N

Specifications

- Without arm
- Fabric
- Steel legs (square)

- Dimensions W540 x D570 x H800

 Blue

 Black




Lecture Chair - CF304 AW

Specifications

- R/P, Fabric
- Square tube with writing pad
- Dimensions : W540 x D570 x H775

 Blue

 Black



Lecture Hall - 128C

Material : Fabric

 Blue

 Black




Canteen Chair - 3050A

Specifications

- Without arm
- Powder coated frame
- Plastic shell

 Blue

 Black

GP-803



Bar Stool - GP 802

• Specifications

Material : PU

■ Black



Lab Stool - GP 800

Specifications

Material : PU

■ Black

GP 552

Specifications

• Plastic Shell

■ Black



GP 8001/3 - COLDROLLED (CR) STEEL - LIN KCHAIRS



PRE
ORDER

Specifications

- Material : Cold Rolled (CR) Steel
- Size for 3 seats : 1750mm x 670mm x 780mm
- Size for 4 seats : 2320mm x 670mm x 780mm
- Seat width : 50cm
- Seat Thickness : 1.3mm
- Metal paint on seat & backrest : Green / China Red / Maroon / Silver / Blue & Black
- Arm & Leg : Metal Chrome Finish



PRE
ORDER




Auditorium Chair

Specifications

- B series fabric, Premium specific cloth, Fade-resistant, Anti-fouling, High density ultra soft cold/hot-moulding foam for seat and back, $P \geq 35 \text{kg/m}^3$, Moulded by PP injection, Premium wood armrest, or high-elasticity PU/PP armrest with leather veins. Mould-pressed with high quality steel plate, thick

 Blue

 Black




Lobby Chair

Specifications

- Without arm
- Made out of fabric alabama
- With form cushion

 Blue

 Black



VIP040



VIP034



A013



A118-1



VIP028



VIP020



A145A



VIP 026



VIP039



VIP024-2



A014+1



VIP018



VIP038



A042



A100



A090-1

VIP023



A025

Alpha Industries (Pvt) Ltd.

49/16, Iceland Building, Galle Road, Colombo 03.

☎ 011 5 707 707 📠 011 5 707 770

✉ info@alpha.lk 🌐 www.alpha.lk

INTERIOR SALES
+94 773 200 027

CORPORATE SALES
+94 777 589 088

DEALER SALES
+ 94 777 756 709

SHOWROOM SALES
+94 773 958 361

BANK SALES
+94 773 863 931

Our Showrooms

COLOMBO 03

No 409, R A De Mel mw,
Colombo 03
T : 011 5707600/666
M : 077 3579848
colombosr@alpha.lk

HEAD OFFICE SHOWROOM

No 55, Iceland Building,
Galle Road, Colombo 03
T : 011 5707607/609
M : 077 2463202
colombo3sr@alpha.lk

NAWALA

No 327, Nawala road,
Nawala
T : 011 5707602/606
M: 077 3956204
nawalsr@alpha.lk

MAHARAGAMA

No 298, High level road,
Maharagama
T: 011 5707604/608
M: 077 3832074
maharagamasr@alpha.lk

PANADURA

No 801, Galle road,
Nalluruwa, Panadura
T: 038 5707707
M: 077 3521214
panadurasr@alpha.lk

KURUNEGALA

No 253, Negombo road,
Kurunegala
T: 037 5707707
M: 077 3521216
kurunegalsr@alpha.lk

MATARA

No 203, Anagarika Dharmapala mw,
Nupe, Matara
T : 041 5707707
M: 077 2441324
matarasr@alpha.lk

GAMPAHA

No 39/1/D, Kandy road,
Yakkala
T: 033 5707707
M: 077 2441325
gampahasr@alpha.lk

JAFFNA

No 270, KKS Road,
Jaffna
T: 077 7866653
Jaffnasr@alpha.lk

Alpha

